

Bids and Awards Committee

REQUEST FOR QUOTATION (RFQ) No. 2019-SVP-35

The Securities and Exchange Commission (SEC), through its Bids and Awards Committee (BAC), will undertake an **Alternative Method of Procurement through Negotiated Procurement** for the item stated below, in accordance with **Section 53.9 Small Value Procurement** of the Revised Implementing Rules and Regulations of Republic Act. No. 9184.

The SEC hereinafter referred to as "the Purchaser", now requests submission of a price quotation for the subject below:

2019 S- APP	PR No.	Description	Approved Budget for the Contract (ABC) inclusive of VAT
Item no. II.G.2	201908-128	Supply and Delivery of Various Electrical Supplies (See Attachment 2 for the Technical Specifications)	Php534,200.00

Interested suppliers are required to submit the following documents:

- Mayor's/Business Permit
- 2. PhilGEPS Registration Number
- 3. Income/Business Tax Return
- 4. Omnibus Sworn Statement (Attachment 3)

SEC Condition of Sales:

- 1. Delivery Schedule: Fifteen (15) calendar days upon receipt of approved PO/NTP
- 2. Validity: Sixty (60) calendar days from submission of bids
- 3. Delivery Site: General Services Division, 3/F Secretariat Building, PICC Complex, Pasay City

Award of contract shall be made to the bidder with the lowest quotation for the subject goods which complies with the minimum technical specifications and other terms and conditions stated herein.

Any alterations, erasures, or overwriting shall be valid only if they are signed or initialed by the bidder or his/her duly authorized representative.

Submission of duly signed Price Quotation Form (Attachment 1) and eligibility documents is not later than **10:00 A.M. of October 4, 2019** at the Procurement Division, 3rd Floor, Secretariat Building, PICC Complex, Pasay City. Open submission may be done, manually, through Facsimile No. 818-5330, or via email (bacsecretariat@sec.gov.ph).

The penalty for late deliveries is one tenth (1/10) of one (1) percent of the cost of the unperformed portion for every day of delay until actual delivery or performance. Once the amount of liquidated damages reaches ten percent (10%), the Procuring Entity may rescind or terminate the Contract without prejudice to other courses of action and remedies open to it.

The SEC reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract in accordance with Section 41 of RA 9184 and its IRR, without thereby incurring any liability to the affected bidder or bidders.

EMMANUEL Y. ARTIZA
BAC Chairman

PRICE QUOTATION FORM RFQ No. No. 2019-SVP-35

Date:				
c/o Procu 3 rd Floor, PICC Com	and Awards Committee rement Division Secretariat Building, plex, Pasay City			
Sir/Mada	m:			
	ing carefully read and accepted the terms and co posal for the items identified below:	ndition	s in the Request for Quo	tation, hereunder is ou
Item no.	Article and Descriptions	Qty.	Unit price	Total Price (VAT Inclusive)
1	Supply and Delivery of Various Electrical Supplies	1 lot	Php	Php
AMOUNT	'IN WORDS:		(VAT i	nclusive)
The above	e-quoted price is inclusive of all costs and applica	able taxe	es	
Very truly	yours,			
AUTHOR	IZED REPRESENTATIVE:			
Signatur Printed I Date Compan Contact	Name :			

TECHNICAL SPECIFICATIONS

tem No.	Particulars	Quantity	Units	Remarks
1	1C-3.5mm² (#12AWG) THHN/THWN-2 Wire	10	Вох	150 linear meters
	Application:			per box
	Ideal for cable tray installation, wire ways, open branch			
	circuits for permanent installations.			
	Suitable for power and lighting installations in residential,			
	commercial, and industrial establishments.			
	Temperature rating not to exceed:			
	THWN-2: 90°C dry, wet or oil, 600v			
	Technical Specs:			
	- UL 83 for Thermoplastic Insulated Wires and			
	Cables (THHN/THWN-2)			
	- UL 758 for Appliance Wiring Materials (AWM)			
	- UL 1063 for Machine Tool Wire (MTW)			
	(stranded conductors only)			
	- PNS 35 Thermoplastic Insulated Copper Wires			
	and Cables 600 Volts			
2	46.5.5	2	Вох	150 linea
	1C-5.5mm² (#10AWG) THHN/THWN-2 Wire	-		meters per box
	Application: Ideal for cable tray installation, wire ways, open	-	***	per box
	branch	~ ~		
	circuits for permanent installations.			
	Suitable for power and lighting installations in residential,			
	commercial, and industrial establishments.			
	Temperature rating not to exceed:			
	THWN-2: 90°C dry, wet or oil, 600v			
	Technical Specs:			
	- UL 83 for Thermoplastic Insulated Wires and			
	Cables (THHN/THWN-2)			
	- UL 758 for Appliance Wiring Materials (AWM)		т	
	- UL 1063 for Machine Tool Wire (MTW)			
	(stranded conductors only)			
	- PNS 35 Thermoplastic Insulated Copper Wires			
-00-	and Cables 600 Volts			
3	1C-8.0mm ² (#8AWG) THHN/THWN-2 Wire	1	Вох	100 linea
	Application:			per box
	Ideal for cable tray installation, wire ways, open branch			Per Non
	Dianen			

	Suitable for power and light residential,	hting installations in			
	commercial, and industria	l establishments.			
	Temperature rating not to	exceed:			
	THWI	N-2: 90°C dry, wet or oil,			
	600v				
	Technical Specs:				
	- UL 83 for Thermoplastic In	nsulated Wires and			
	Cables (THHN/THWN-2)				
	- UL 758 for Appliance Wiri				
	- UL 1063 for Machine Tool				
	(stranded conductors only				
	- PNS 35 Thermoplastic Insu	ulated Copper Wires			
	and Cables 600 Volts				
4	#16AWG Flat Cord Wire		5	rolls	
	Application:				
	Use in portable tools and o	equipment, as well as			
-	- ·	and associated machinery.			
	appliances, small motors,	and associated machinery.			
	Technical Specs:				
	Rated Voltage	: 600V			
	No. of Conductor	: 2			
	Amps	: 13			
	Min. Temp	: -40°C			
	Max. Temp	: 90°C			
	Conductor Material	: Bare Copper			
		: Ethylene	-		
	Insulation Material	Propylene			
		Diene			
		Monomer			
		Rubber			
		Thermoplastic			
	Jacket material	Elastomer			
		(TPE)			
5	Single wire 1.0mm ² (for Ballast)		2	rolls	
	Application:				
	Use for small appliance ar	nd lighting fixtures.			
	Technical Specs:				
	No. of strands	: 15			
	Singles diameter	: 0.320 mm			
	Conductor diameter	: 1.47 mm			
	PVC thickness	: 0.76 mm			
	Overall diameter	: 3.0 mm			
	Cable weight (approx.)	:19 kg/km			
	DC resistance (maximum)	: 14.1 Ω/km			
6	2 -Gang Universal Outlet w/ Ground		100	sets	
0	Application:		100	5000	
	Device that can be accom	modated by electrical			
	faceplate	· · · · · · · · · · · · · · · · · · ·			
	outlet; complete with acc	essories			

	Technical Spec	CS:				
		facentates	: 2-gang single duplex			
		faceplates	: 15A - 127V			
		Rating	: 13A - 12/V			
7	2.Gang Surface	e Outlet w/ Ground		100	sets	
	Application:	e Outlet w/ Ground		100	3013	
	Application.	Device that can be accommodated by	v electrical			
		faceplate				
		outlet; complete with accessories				
	Technical Spec	cs:				
			: 3-gang single			
		faceplates	duplex			
		Rating	: 15A - 127V			
 3	Ground Rubb	er Plug		100	pcs.	
	Application:					
	7.ppmederern	2P ground power plug for convenience	ce outlet			
				XX		
	Technical Spe	CS:				
	·	Rating	: 125Vac - 15A			
		Body Material	: Rubber			
		Socket Shape	: Male Plug			
9		cy Ballast (Single)		500	pcs.	
	Application:	High fraguency alastronic hallast for	TI D fluorescent			
		High-frequency electronic ballast for lamp	TL-D Jiuorescent			
	Technical Spe	CS:				
		Number of Lamps	: 1 piece/unit			
		Input Voltage	: 220 to 240V			
		Input Frequency	: 50 to 60 kHz			
		Operating Frequncy (Nom)	: 40 - 60 kHz			
		Power Factor 100% Load (Nom)	: 0.95			
		Mains Voltage Safety (AC)	: -10% - +10%			
		Earth Leakage Current	: 0.7 mA			
		Rated Ballast Lamp Power	: 36 W			
		Rated Ballast Lamp Power on TL-D	: 36 W			
		Temperature T-Case Lifetime (Nom)	: 75°C			
		Battery Voltage Lamp Ignition	: 165-253V			
		IP Classification	: IP 20			
		Overvoltage Protection 276Vac	: 48 h		-	
	High Frequen	cy Ballast (Double)		300	pcs.	
LO	Application:					
.0						
.0		High-frequency electronic ballast for	TL-D fluorescent			
LO		High-frequency electronic ballast for lamp	IL-D fluorescent	Ja		

	Number of Lamps	· 2 nieco/unit			
	Number of Lamps	: 2 piece/unit : 220 to 240V			
	Input Voltage Input Frequency	: 50 to 60 kHz			
	Operating Frequecy (Nom)	: 42 - 60 kHz			
	Power Factor 100% Load (Nom)	: 0.97 : -10% - +10%			
	Mains Voltage Safety (AC)				
	Earth Leakage Current	: 0.5 mA			
	Rated Ballast Lamp Power	: 36 W			
	Rated Ballast Lamp Power on TL-D	: 36 W			
	Temperature T-Case Lifetime (Nom)	: 75°C			
	Battery Voltage Lamp Ignition	: 165-253V			
	IP Classification	: IP 20			
	Overvoltage Protection 276Vac	: 48 h			
11	Flourescent Lamp (18Watts)		100	pcs.	
	Application:				
	TL-D Standard Colors lamps (tube dia				
	create atmospheres from warm white daylight.	e to cool			
		lar randaring			
	Lamps with moderate efficacy and co	nor renaering.			
	Technical Specs:		440		
	Power (Rated) (Nom)	: 18.0 W			
	Lamp Current (Nom)	: 0.360 A			
	Voltage (Nom)	: 59V			
	Luminous Flux (Nom)	: 1050 lm			
	Color Designation	: Cool Daylight			
	Dimmable	: Yes			
	Lumen Maintenance 10000 h (Nom)	: 75%			
	Lumen Maintenance 2000 h (Nom)	: 90%			
	Lumen Maintenance 5000 h (Nom)	: 80%			
	Correlated Color Temperature	. 6070			
	(Nom)	: 6200 K			
	Color Rendering Index (Nom)	: 72			
	Mercury (Hg) Content (Nom)	: 8.0mg			
	Energy Consumption kWh/1000 h	: 22 kWh			
12	Flourescent Lamp (36Watts)		400	pcs.	
	Application:				
	TL-D Standard Colors lamps (tube dia				
	create atmospheres from warm whit daylight.	e to cool			
	Lamps with moderate efficacy and co	olor rendering.			
	Technical Specs:				
	Power (Rated) (Nom)	: 36.0 W			
	Lamp Current (Nom)	: 0.440 A			· ·
	Voltage (Nom)	: 103V			
	Luminous Flux (Nom)	: 2500 lm			

Dimmable	: Yes	
Lumen Maintenance 10000 h		
(Nom)	: 75%	
Lumen Maintenance 2000 h (Nom)	: 90%	
Lumen Maintenance 5000 h (Nom)	: 80%	
Correlated Color Temperature		
(Nom)	: 6200 K	
Color Rendering Index (Nom)	: 72	
Mercury (Hg) Content (Nom)	: 8.0mg	
Energy Consumption kWh/1000 h	: 43 kWh	

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct otherwise, if found to be false either during bid evaluation, post-qualification or the execution of the contract, the same shall give rise to the imposition of administrative sanctions and the forfeiture of bid security or the performance security posted consistent with section 69.1 and 69.2 of the revised Implementing Rules and Regulations of the Republic Act No. 9184.

Company Name:	:	
Address	:	
AUTHORIZED REPRESENTAT	IVE:	
Signature Printed Name Position Date	:	

Omnibus Sworn Statement

REPUBLIC OF THE PHILIPPINES)
CITY/MUNICIPALITY OF) S.S.

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. Select one, delete the other:

If a sole proprietorship: I am the sole proprietor of [Name of Bidder] with office address at of [Name of Bidder] [address of Bidder];

If a partnership, corporation, cooperative, or joint venture: I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. Select one, delete the other:

If a sole proprietorship: As the owner and sole proprietor of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to represent it in the bidding for [Name of the Project] of the [Name of the Procuring Entity];

If a partnership, corporation, cooperative, or joint venture: I am granted full power and authority to do, execute and perform any and all acts necessary and/or to represent the [Name of Bidder] in the bidding as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate issued by the corporation or the members of the joint venture)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. Select one, delete the rest:

If a sole proprietorship: I am not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

If a partnership or cooperative: None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

If a corporation or joint venture: None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. [Name of Bidder] complies with existing labor laws and standards; and

8. [Name of Bidder] is aware of and has undertaken the following responsibilities as a Bidder: a) Carefully examine all of the Bidding Documents; b) Acknowledge all conditions, local or otherwise, affecting the implementation of the Contract; c) Made an estimate of the facilities available and needed for the contract to be bid, if any; and d) Inquire or secure Supplemental/Bid Bulletin(s) issued for the [Name of the Project]. 9. I did not give or pay, directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity. IN WITNESS WHEREOF, I hereunto set my hands this _____ day of ______, 20_____ at______, Philippines._____ SUBSCRIBED AND SWORN TO before me this _____ day of _______, 20_____, affiant exhibiting to me his/her ______ (Government issued ID name, number and validity (Notary Public) Until PTR No. Date Place TIN Doc. No. Page No. Book No. Series of Bidder's Representative/Authorized Signatory [JURAT]

Page 9 of 9