



Bids and Awards Committee

REQUEST FOR QUOTATION (RFQ) No. 2020-SVP-34

The Securities and Exchange Commission (SEC), through its Bids and Awards Committee (BAC), will undertake an **Alternative Method of Procurement through Negotiated Procurement** for the item stated below, in accordance with **Section 53.9 Small Value Procurement** of the Revised Implementing Rules and Regulations of Republic Act. No. 9184.

The SEC hereinafter referred to as "the Purchaser", now requests submission of a price quotation for the subject below:

SAPP 2020-1	PR No.	Description	Approved Budget for the Contract (ABC) inclusive of VAT
Item no. II.E.30	2020-06-123	Supply and Delivery of GSM Modem (See Attachment 2 for Technical Specifications)	Php20,000.00

Interested suppliers are required to submit the following documents:

1. Mayor's/Business Permit
2. PhilGEPS Registration Number

SEC Condition of Sales:

1. Delivery Schedule: Fifteen (15) calendar days upon receipt of approved PO/NTP
2. Validity: Sixty (60) calendar days from submission of bids
3. Delivery Site: General Services Division, 3rd Floor, Secretariat Building, PICC Complex, Pasay City


Award of contract shall be made to the bidder with the lowest quotation for the subject goods which complies with the minimum technical specifications and other terms and conditions stated herein.

Any alterations, erasures, or overwriting shall be valid only if they are signed or initialed by the bidder or his/her duly authorized representative.

Submission of duly signed Price Quotation Form (Attachment 1) and eligibility documents is not later than **10:00 A.M. of June 29, 2020** at the Procurement Division, 3rd Floor, Secretariat Building, PICC Complex, Pasay City. Open submission may be done, manually, through Facsimile No. 8818-5330, or via email (bacsecretariat@sec.gov.ph).

The penalty for late deliveries is one tenth (1/10) of one (1) percent of the cost of the unperformed portion for every day of delay until actual delivery or performance. Once the amount of liquidated damages reaches ten percent (10%), the Procuring Entity may rescind or terminate the Contract without prejudice to other courses of action and remedies open to it.

The SEC reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract in accordance with Section 41 of RA 9184 and its IRR, without thereby incurring any liability to the affected bidder or bidders.


EMMANUEL Y. ARTIZA
BAC Chairman

PRICE QUOTATION FORM
RFQ No. No. 2020-SVP-34

Date: _____

The Bids and Awards Committee
 c/o Procurement Division
 3rd Floor, Secretariat Building,
 PICC Complex, Pasay City

Sir/Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price proposal for the items identified below:

Item no.	Article and Descriptions	Qty.	Unit price	Total Price (VAT Inclusive)
1	Supply and Delivery of GSM Modem	1 lot	Php _____	Php _____

AMOUNT IN WORDS: _____ (VAT inclusive)

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name : _____
 Contact no. : _____

TECHNICAL SPECIFICATIONS

TECHNICAL REQUIREMENTS FOR GSM Modem	STATEMENT OF COMPLIANCE
Included in Package <ul style="list-style-type: none"> • 2- or more 8 ports modem pool • 1 Charger 8 * Antenna • 1 USB Cable 	
Basic Features <ol style="list-style-type: none"> 1. Quad band 850/900/1800/1900MHz 2. Bulk SMS sending/receiving 3. Unlimited IMEI change 	
Products Description <ul style="list-style-type: none"> • Based on Brand New wireless MTK industrial-grade chipset, 220V power supply, can be a long time stability, generous luxury housing. • Can insert 2 or more SIM cards (big or small). Just like 8 single-channel equipment send messages at the same time • Connect computer with a Durable and Portable USB data line • Each channel with separate power switch, Easy to Handle and Control, Ports support hot-swapping 	
Parameter <ul style="list-style-type: none"> • Dual-band GSM: 850/900/1800/1900 MHz Frequency • Power Supply: 5-24V DC • Input voltage: 100 to 240V • Operating Temperature: -20°C - +55°C • Storage temperature: -25°C - +70°C 	
Basic Specifications: <ul style="list-style-type: none"> • USB GSM modem pool Build in 2 or more GPRS modem in one Simbox • Based on Sierra industrial modules • Asynchronous, transparent or non-transparent, to a maximum 14400 bits / s • Bound rate: 300-115200 bits / s • Automatic baud rate: from 2400 to 19200 bits / s • AT command control (GSM 07.07 and 07.05) • 2 or more SIM card(big/small) slots • Sending Max 4800 messages per hour • Comply with GSM phase2 standard • Send and receive SMS, AT Command, Imei Changing • Maximum transmitting speed 115KBps • Working temperature: -20 to +60 degrees Celsius • Storage temperature: -25 to +70 degrees Celsius • Double tone multi-frequency function (DTMF) • Each channel with separate power switch • Each individual module can be demolished • Industrial chassis, elegant shell 	

